

Slide	Section	M.A.B.		Result			
		ascite	ascite	epith	stroma	epith	stroma
1	BPH (Friedlander)	C37 1:100	C219 1:100	—	+	—	—
2	"	E27	E99	—	—	—	—
3	"	653	P410	—	—	+	—
4	"	C37 ascite 1:100	C219 ascite 1:100	—	—	—	—
5	"	E27	E99	—	—	—	—
6	"	653	P410	—	—	+	—
7	BPH (Rovriguez, J)	C37 ascite 1:100	C219 ascite 1:100	epith	stroma	epith	stroma
8	"	E27	E99	+	—	+	—
9	"	653	P410	—	—	+	—
10	"	C37 ascite 1:100	C219 ascite 1:100	—	—	+	—
11	"	—	—	+	—	weak +	—
12	"	653	P410	—	—	+	—
13	BPH (CHAN, M. Y)	C37 ascite 1:100	C219 ascite 1:100	epith	stroma	epith	stroma
14	"	E27	E99	—	—	+	—
15	"	653	P410	—	—	+	—
16	"	C37 ascite 1:100	C219 ascite 1:100	—	—	—	—
17	"	E27	E99	—	—	—	—
18	"	653	P410	—	—	+	—
19	BPH (Deese, J)	C37 ascite 1:100	C219 ascite 1:100	epith	stroma	epith	stroma
20	"	E27	E99	+	—	+	—
21	"	653	P410	—	—	+	—
22	"	C37 ascite 1:100	C219 ascite 1:100	—	—	+	—
23	"	E27	E99	+	—	+	—
24	"	653	P410	—	—	+	—

FIT-RING

FIT-RING

FIT-RING

FIT-RING